

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE


Applicant: Bunya SATO
Serial No.: 10/542,959
Filed: July 21, 2005
For: LEAD TERMINAL AND POWER SUPPLY DEVICE
Examiner: JANE J. RHEE
Art Unit: 1795
Confirmation No.: 2061

745 Fifth Avenue
New York, NY 10151
(212) 588-0800

CERTIFICATE OF ELECTRONIC FILING

I hereby certify that this correspondence is being transmitted via
Electronic Filing Services on May 19, 2010.

Maria Lapitan
(Name of person signing transmittal)


Signature

May 19, 2010
Date of Signature

RESPONSE UNDER 37 C.F.R. §1.116

Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Dear Sir:

In response to the Final Office Action mailed on April 27, 2010, having a three-month shortened statutory period for response set to expire on July 27, 2010, please amend the above-identified application as follows. Applicant submits this response within the two-month date of June 28, 2010 (June 27, 2010 being a Sunday).

Frommer Lawrence & Haug LLP
745 Fifth Ave
New York, NY 10151
(212) 588-0800
Customer Number 20999

Amendments to the Claims are reflected in the listing of claims which begins on page 3 of this paper.

Remarks/Arguments begin on page 11 of this paper.

REMAINDER OF THIS PAGE IS INTENTIONALLY LEFT BLANK.